



## PROGRAM SCHEDULE

**Monday, May 5 – Friday, May 9, 2025**

Hyatt Regency San Francisco | San Francisco, California

*Current as of Thursday, March 27, 2025 | Subject to change*

*Final program will be available in Attendee Hub App.*

*All times are in Pacific Standard Time (PST)*

### SUNDAY, MAY 4

IMIS Planning Meeting	8:00 AM – 11:00 AM	Garden Room, Lobby Level
SOME - API 682, Shaft Sealing Systems for Centrifugal and Rotary Pumps	8:00 AM – 5:00 PM	Pacific H, Pacific Level
SOME - API 619, Rotary-Type Positive-Displacement Compressors	8:00 AM – 5:00 PM	Pacific I, Pacific Level
SOME - API 610, Centrifugal Pumps for Petroleum, Petrochemical and Natural Gas Industries	8:00 AM – 5:00 PM	Seacliff Cd, Bay Level
SCHTE - Std 668	9:00 AM – 6:00 PM	Marina Bay Level
SCIMI - Subcommittee on Inspection and Mechanical Integrity, Executive Session	12:00 PM – 3:30 PM	Garden Room Lobby Level
<b>Registration</b>	<b>1:00 PM – 6:00 PM</b>	<b>Grand Foyer Street Level</b>
SCOPV Coordinating Committee	2:00 PM – 5:00 PM	Bayview B Bay Level
Working Group on Sub-Committee Coordination Meeting <i>(Leadership Teams &amp; API Reps)</i>	3:30 PM – 5:00 PM	Garden Room Lobby Level
CRE Chairs' Workshop <i>(Members And Invited Guests Only)</i>	5:00 PM – 6:30 PM	Garden Room Lobby Level
<b>Sponsor &amp; Exhibitor Displays</b> <i>(Vendor Setup)</i>	5:00 PM - 7:00 PM	Grand Foyer Street Level

### MONDAY, MAY 5

<b>Registration</b>	<b>6:30 AM – 5:00 PM</b>	<b>Grand Foyer Street Level</b>
<b>Breakfast &amp; General Session</b> - API Regulatory Update from Matii Chindori-Chininga, Downstream Policy Advisor	7:00 AM – 8:30 PM	Grand Ballroom Street Level
<b>Sponsor &amp; Exhibitor Displays</b>	<b>7:00 AM – 5:00 PM</b>	<b>Grand Foyer Street Level</b>
<b>Morning Coffee Service</b>	<b>8:00 AM – 9:00 AM</b>	<b>Grand Foyer Street Level</b>

# 2025 SPRING REFINING AND EQUIPMENT STANDARDS MEETING + API/AFPM SPRING OPERATING PRACTICES SYMPOSIUM



American  
Petroleum  
Institute

SOEE - Std 541- Form-wound Squirrel Cage Induction Motors - 375kW (500 Horsepower) and Larger & Std. 547- General-purpose Form-wound Squirrel Cage Induction Motors - 185kW (250hp) through 2240kW (3000hp)	8:00 AM – 5:00 PM	Pacific O Pacific Level
SOME - API 673, Centrifugal Fans	8:00 AM – 5:00 PM	Pacific H Pacific Level
SOME - API 682, Shaft Sealing Systems for Centrifugal and Rotary Pumps	8:00 AM – 5:00 PM	Pacific I Pacific Level
SOME - API 619, Rotary-Type Positive-Displacement Compressors	8:00 AM – 5:00 PM	Pacific J Pacific Level
SOME - API 610, Centrifugal Pumps for Petroleum, Petrochemical and Natural Gas Industries	8:00 AM – 5:00 PM	Pacific K Pacific Level
Technical Data Committee - General Meeting	1:00 AM – 5:00 PM	Golden Gate Bay Level
Orientation for New Committee Members and New Attendees	8:30 AM – 9:30 AM	Seacliff AB Bay Level
SCCM Corrosion and Materials Research	8:30 AM – 9:30 AM	Waterfront AB Lobby Level
SCOPV - Manufacturers and Contractors	8:30 AM – 9:30 AM	Bayview AB Bay Level
SCOPV - Executive Session <i>(Users Only)</i>	8:30 AM – 9:30 AM	Seacliff CD Bay Level
SCAST - Std 2510, Design and Construction of LPG Installations	8:30 AM – 9:30 AM	Marina Bay Level
SCIMI - API 510 & RP 574, Pressure Vessel Inspection Code and Inspection Practices for Piping System Components	8:30 AM – 10:00 AM	Garden Room Lobby Level
SCHTE - Std 560, Fired Heaters	8:30 AM – 4:00 PM	Pacific FG Pacific Level
SOICS - Subcommittee on Instruments and Control Systems general meeting	8:30 AM – 5:00 PM	Pacific BC Pacific Level
SCPRS - API 520, Sizing, Selection, and Installation of Pressure Relieving Devices - Part I and II	8:30 AM – 5:00 PM	Pacific DE Pacific Level
SCRM - Subcommittee on Refractory Materials, General Session	8:30 AM – 5:30 PM	Waterfront CDE Lobby Level
SCHTE - Std 661, Air Cooled Exchangers	8:30 AM – 6:00 PM	Pacific N Pacific Level
SCAST - Refrigerated Tank Task Group (RTTG)	9:30 AM – 3:30 PM	Marina Bay Level
SCCM - RP 941, High Temperature Hydrogen Attack	9:30 AM – 11:00 AM	Waterfront AB Lobby Level
<b>Mid-Morning Coffee Service</b>	<b>10:00 AM - 10:30 AM</b>	<b>Grand Foyer Street Level</b>
SCOPV - Std 622, Type Testing Of Process Valve Packing For Fugitive Emissions	10:00 AM - 11:00 AM	Bayview AB Bay Level
SCIMI - API 583, Corrosion Under Insulation & Fireproofing	10:00 AM - 12:00 PM	Garden Room Lobby Level
SCCM - API RP 932-B Guidelines for Corrosion Control in Hydroprocessing REACs	11:00 AM - 12:00 PM	Waterfront AB Lobby Level

# 2025 SPRING REFINING AND EQUIPMENT STANDARDS MEETING + API/AFPM SPRING OPERATING PRACTICES SYMPOSIUM



American  
Petroleum  
Institute

SCAST - Leadership Session <i>(Invited guest only)</i>	12:00 PM - 1:00 PM	Grand Ballroom C Street Level
SCOPV - Std 599, Metal Plug Valves-- Flanged and Welding Ends	1:00 PM - 2:00 PM	Seacliff CD Bay Level
SCOPV - Std 600, Steel Gate Valves - Flanged and Butt-welding Ends, Bolted Bonnets	1:00 PM - 2:00 PM	Bayview AB Bay Level
Scast - Std 2610, Design, Construction, Operation, Maintenance, And Inspection Of Terminal And Tank Facilities	1:00 PM - 2:30 PM	Grand Ballroom C Street Level
SCCM - TR 934-F, 2.25 & 3.0 CrMoV Reactor MPT's	1:00 PM - 3:00 PM	Waterfront AB Lobby Level
SCIMI - API 573, Inspection of Fired Heaters and Boilers	1:00 PM - 3:00 PM	Garden Room Lobby Level
<b>Afternoon Coffee Service</b>	<b>2:00 PM - 2:30 PM</b>	<b>Grand Foyer Street Level</b>
<b>Special Afternoon Networking Break</b>	<b>2:30 PM - 3:00 PM</b>	<b>Grand Foyer Street Level</b>
SCOPV - Std 602, Gate, Globe, and Check Valves for Sizes DN 100 (NPS 4) and Smaller for the Petroleum and Natural Gas Industries	2:00 PM - 3:00 PM	Bayview AB Bay Level
Scopv - Std 609, Butterfly Valves: Double-Flanged, Lug- And Wafer-Type, And Butt-Welding Ends	2:00 PM - 5:00 PM	Seacliff CD Bay Level
SCCM -API RP 582 Welding Guidelines for the Chemical, Oil, & Gas Industries	3:00 PM - 5:00 PM	Waterfront AB Lobby Level
SCAST - RP 626, New Standard on Refrigerated Tank Inspection and Repair	3:30 PM - 4:30 PM	Marina Bay Level
SCOPV - Std 603, Corrosion-Resistant, Bolted Bonnet Gate Valves--Flanged and Butt-Welding Ends	3:00 PM - 4:00 PM	Bayview AB Bay Level
Scast - Std 2350 - Overfill Prevention For Storage Tanks In Petroleum Service	4:00 PM - 4:30 PM	Grand Ballroom C Street Level
SCOPV - Std 623, Steel Globe Valves—Flanged and Butt-welding Ends, Bolted Bonnets	4:00 PM - 5:00 PM	Garden Room Lobby Level
SCHTE - Fired Consensus Group	4:00 PM - 5:30 PM	Grand Ballroom B Street Level
SCAST Manufacturers and Contractors	4:30 PM - 6:00 PM	Grand Ballroom C Street Level
SCAST Owners and Operators	4:30 PM - 6:00 PM	Marina Bay Level

## TUESDAY, MAY 6

Early Morning Coffee Service	7:00 AM - 8:30 AM	Grand Foyer Street Level
Registration	7:00 AM – 4:00 PM	Grand Foyer Street Level
Sponsor & Exhibitor Displays	7:00 AM - 5:00 PM	Grand Foyer Street Level
SCHTE - Steering Committee <i>(Schte Steering Committee Members Only)</i>	8:00 AM - 9:00 AM	Pacific BC Pacific Level
SCIMI - API 577, Welding Processes, Inspection, and Metallurgy	8:00 AM - 10:00 AM	Garden Room Lobby Level

# 2025 SPRING REFINING AND EQUIPMENT STANDARDS MEETING + API/AFPM SPRING OPERATING PRACTICES SYMPOSIUM



American  
Petroleum  
Institute

SCCM - API 963 Task Group on Biofuels Materials and Corrosion	8:00 AM - 10:00 AM	Waterfront AB Lobby Level
SOICS - RP 551, Process Measurement Instrumentation	8:00 AM - 11:00 AM	Grand Ballroom C Street Level
API 579-1/ASME FFS-1 Project Team Break-out Session 1 <i>(Committee Members and Invited Guests Only)</i>	8:00 AM - 12:00 PM	Pacific J Pacific Level
API 579-1/ASME FFS-1 Project Team Break-out Session 2 <i>(Committee Members and Invited Guests Only)</i>	8:00 AM - 12:00 PM	Pacific I Pacific Level
SCIMI - API 586, NDT Methods for Equipment t Damage Mechanisms	8:00 AM - 12:00 PM	Pacific LM Pacific Level
SOEE - Std 541- Form-wound Squirrel Cage Induction Motors - 375kW (500 Horsepower) and Larger & Std. 547- General-purpose Form-wound Squirrel Cage Induction Motors - 185kW (250hp) through 2240kW (3000hp)	8:00 AM - 3:00 PM	Pacific N Pacific Level
SCOPV - Joint Meeting	8:00 AM - 5:00 PM	Pacific FG Pacific Level
SOICS - RP 559 IIOT	8:00 AM - 5:00 PM	Pacific A Pacific Level
SCPRS - API 521, Pressure Relieving and Depressuring Systems	8:00 AM - 5:00 PM	Pacific DE Pacific Level
SCAST - Subgroup Fabrication	8:00 AM - 5:30 PM	Marina Bay Level
SCAST - Subgroup Design	8:00 AM - 5:30 PM	Bayview A Bay Level
SCRM - Subcommittee on Refractory Materials, General Session	8:30 AM - 3:00 PM	Waterfront CDE Lobby Level
Technical Data Committee - General Meeting	8:30 AM - 12:00 PM	Golden Gate Bay Level
SOME - Subcommittee on Mechanical Equipment, Joint Session	8:30 AM -5:00 PM	Seacliff CD Bay Level
SCHTE - STD 535, Burners	9:00 AM - 12:00 PM	Grand Ballroom A Street Level
SCHTE - Std 561, Reforming Furnaces for H2 & Syngas	9:00 AM - 6:00 PM	Seacliff AB Bay Level
SCHTE - Std 664, Spiral Plate Heat Exchangers	9:00 AM - 6:00 PM	Pacific BC Pacific Level
<b>Mid-Morning Coffee Service</b>	<b>10:00 AM - 10:30 AM</b>	<b>Grand Foyer Street Level</b>
SCIMI - API 584, Integrity Operating Windows	10:00 AM -12:00 PM	Garden Room Lobby Level
SCCM - HIC/SOHIC Materials Properties Project	11:00 AM - 12:00 PM	Waterfront AB Lobby Level
Operating Practices Advisory Group (OPAG)	1:00 PM - 5:00 PM	Board Room B Lobby Level
API 579-1/ASME FFS-1 Joint Session	1:00 PM - 5:00 PM	Bayview B Bay Level
SCHTE - Std 530, Heater Tube Thickness	1:00 PM - 5:00 PM	Grand Ballroom B Street Level
SCIMI - API 581, Risk-Based Inspection - Base Resource Document	1:00 PM - 5:00 PM	Garden Room Lobby Level

# 2025 SPRING REFINING AND EQUIPMENT STANDARDS MEETING + API/AFPM SPRING OPERATING PRACTICES SYMPOSIUM



American  
Petroleum  
Institute

SCIMI - NDE Task Group (Roundtable)	1:00 PM - 5:00 PM	Pacific LM Pacific Level
SCCM - RP 571, Damage Mechanisms Affecting Fixed Equipment in the Refining Industry	1:30 PM - 3:00 PM	Waterfront AB Lobby Level
<b>Afternoon Coffee Service</b>	<b>2:00 PM - 2:30 PM</b>	<b>Grand Foyer Street Level</b>
<b>Special Afternoon Networking Break</b>	<b>2:30 PM - 3:00 PM</b>	<b>Grand Foyer Street Level</b>
SCIMI - API 588, Source Inspection for Fixed Equipment	3:00 PM - 4:00 PM	Grand Ballroom A Street Level
SCCM - TR 938-C, Use of Duplex SS in the Oil Industry	3:00 PM - 4:30 PM	Waterfront AB Lobby Level
SCRM - ICP Working Group	3:00 PM - 5:00 PM	Waterfront CDE Lobby Level
SOEE	3:15 PM - 5:00 PM	Pacific O Pacific Level
SCCM Officers <i>(Task Group Chairs and Vice-Chairs Only)</i>	4:30 PM - 5:30 PM	Board Room A Lobby Level
Inspection and Mechanical Integrity Summit Volunteer meeting	5:00 PM - 6:00 PM	Grand Ballroom C Street Level
<b>Welcome Reception</b>	<b>6:00 PM – 7:00 PM</b>	<b>Lower/Upper Atrium Lobby Level</b>

## WEDNESDAY, MAY 7

<b>Early Morning Coffee Service</b>	<b>7:00 AM - 8:30 AM</b>	<b>Grand Foyer Street Level</b>
OPS Speaker Breakfast	7:00 AM - 8:30 AM	
OPS Breakfast	7:30 AM - 8:30 AM	Grand Ballroom C Street Level
<b>Registration</b>	<b>7:00 AM – 3:00 PM</b>	<b>Grand Foyer Street Level</b>
<b>Sponsor &amp; Exhibitor Displays</b>	<b>7:00 AM - 3:00 PM</b>	<b>Grand Foyer Street Level</b>
SCHTE - Unfired Consensus Group	7:30 AM - 9:00 AM	Marina Bay Level
SCIMI - API 592, Elements of a Fixed Equipment Mechanical Integrity Program	8:00 AM - 9:00 AM	Garden Room Lobby Level
SCIMI/PSG - API 751, Safe Operation of Hydrofluoric Acid Alkylation Units (Section 6/Annexes G & H)	8:00 AM - 10:00 AM	Pacific LM Pacific Level
CRE Global Standards Meeting <i>(Committee Members and Invited Guests Only)</i>	8:00 AM - 10:00 AM	Golden Gate Bay Level
SCPRS - API 526/527, Flanged Steel Pressure Relief Valves and Seat Tightness of Relief Valves	8:00 AM - 10:00 AM	Pacific DE Pacific Level
SCPRS - API 2000, Workgroup on Low-pressure Relief Devices	8:00 AM - 10:00 AM	Pacific J Pacific Level
SCAST - RP 652, Lining of Aboveground Petroleum Storage Tank Bottoms	8:00 AM - 10:00 PM	Bayview A Bay Level

# 2025 SPRING REFINING AND EQUIPMENT STANDARDS MEETING + API/AFPM SPRING OPERATING PRACTICES SYMPOSIUM



American  
Petroleum  
Institute

SCCM - 934-A, 2.25 & 3.0 CrMov Materials and Fabrication, API 934-B/D, RP 934-C 1.25 CrMo for >825F Materials & Fabrication	8:00 AM - 10:30 AM	Pacific K Pacific Level
SCAST - 12-Series: Spec 12D, Specification for Field-Welded Tanks for Storage of Production Liquids Spec. 12B, Specification for Bolted Tanks for Storage of Production Liquids	8:00 AM - 11:00 AM	Pacific HI Pacific Level
SCHTE - Std 537, Flares	8:00 AM - 5:00 PM	Pacific FG Pacific Level
API 579-1/ASME FFS-1 Joint Session	8:00 AM - 5:00 PM	Seacliff AB Bay Level
SOICS - RP 555, Analyzer Systems	8:00 AM - 5:00 PM	Pacific A Pacific Level
SOME - Subcommittee on Mechanical Equipment, Joint Session	8:00 AM - 6:00 PM	Seacliff CD Bay Level
Operating Practices Symposium (OPS)	8:30 AM - 5:00 PM	Grand Ballroom A Street Level
SCIMI - API 576, Inspection Of Pressure-Relieving Devices	9:00 AM - 11:00 AM	Garden Room Lobby Level
SCOPV - Executive Roundtable <i>(User Members Only)</i>	9:00 AM - 12:00 PM	Pacific O Pacific Level
SCRM - Anchor Standard Working Session	9:00 AM - 1:00 PM	Waterfront AB Lobby Level
SCHTE - Std 701, Electric Immersion Heaters	9:00 AM - 4:00 PM	Grand Ballroom B Street Level
SOEE - Std 701, Electric Immersion Heaters	9:00 AM - 4:00 PM	Pacific N Pacific Level
SCIMI - API 575, Tank discussion former 653 Annex G	10:00 AM - 11:00 AM	Pacific LM Pacific Level
ICP General Session	10:00 AM - 11:30 AM	Waterfront CDE Lobby Level
SCPRS - API 2000, Venting Atmospheric and Low-pressure Storage Tanks	10:00 AM - 12:00 PM	Pacific DE Pacific Level
<b>Mid-Morning Coffee Service</b>	<b>10:00 AM - 10:30 AM</b>	<b>Grand Foyer Street Level</b>
SCAST - TR 655, Volatile Corrosion Inhibitors for Storage Tanks	10:30 AM - 12:00 PM	Marina Bay Level
SCCM - 942-C SMR and Pyrolysis Furnace Tube Metallurgy	10:30 AM - 12:00 PM	Pacific K Pacific Level
Operating Practices Symposium (OPS) - Lunch <i>(Operating Practices Symposium Participants Only)</i>	11:50 AM - 1:00 PM	Grand Ballroom C Street Level
CRE Project Coordination	1:00 PM - 5:00 PM	Golden Gate Bay Level
SIRE Exam Maintenance	1:00 PM - 4:30 PM	Board Room B Lobby Level
SCAST - Joint Session	1:00 PM - 5:00 PM	Bayview B Bay Level
SOICS - RP 553, Refinery Valves and Accessories for Control and Safety Instrumented Systems	1:00 PM - 5:00 PM	Marina Bay Level
SCPRS - Subcommittee on Pressure-Relieving Systems, Joint Session	1:00 PM - 5:00 PM	Pacific DE Pacific Level
SCHTE - 534, Heat Recovery Steam Generators, Annex For H2 Firing	1:00 PM - 5:00 PM	Pacific O Pacific Level

# 2025 SPRING REFINING AND EQUIPMENT STANDARDS MEETING + API/AFPM SPRING OPERATING PRACTICES SYMPOSIUM



American  
Petroleum  
Institute

SCIMI - Subcommittee on Inspection and Mechanical Integrity, Joint Session	1:00 PM - 5:00 PM	Garden Room Lobby Level
SCCM - Roundtable - Thermal Spray	1:30 PM - 5:30 PM	Waterfront AB Lobby Level
<b>Afternoon Coffee Service</b>	<b>2:00 PM - 3:00 PM</b>	<b>Grand Foyer Street Level</b>
SCHTE/SOEE - STD 701, Electric Immersion Heaters, Joint Meeting	4:00 PM - 6:00 PM	Grand Ballroom B Street Level
OPS Networking Reception - <i>(Operating Practices Symposium Participants Only)</i>	5:00 PM - 6:30 PM	Market Street Foyer Street Level

## THURSDAY, MAY 8

Registration <i>(Held in API Office)</i>	7:00 AM - 10:00 AM	Regency Room
ICP: Exam Maintenance <i>(Invited Participants Only)</i>	7:00 AM - 5:00 PM	Pacific K Pacific Level
ICP: Exam Maintenance <i>(Invited Participants Only)</i>	7:00 AM - 5:00 PM	Pacific LM Pacific Level
ICP: Lunch <i>(Invited Participants Only)</i>	7:00 AM - 5:00 PM	Pacific LM Pacific Level
SCCM - 934-G & J Coke Drum Design & Fabrication	8:00 AM - 9:00 AM	Grand Ballroom B Street Level
SOME - Subcommittee on Mechanical Equipment, Joint Session	8:00 AM - 12:00 PM	Seacliff CD Bay Level
SCHTE/SOICS - RP 556, Instrumentation Control and Protective Systems for Fired Heaters	8:00 AM - 5:00 PM	Grand Ballroom A Street Level
Executive Session - Committee on Refinery Equipment <i>(Members and Invited Guests Only)</i> <b>VIP GROUP</b>	8:00 AM - 5:00 PM	Marina Bay Level
SCHTE - STD 660, Shell & Tube Exchangers	8:00 AM - 5:30 PM	Bayview A Bay Level
SCCM - Joint and Business Meeting	10:00 AM - 11:30 AM	Pacific O Pacific Level

## FRIDAY, MAY 9

ICP: Exam Maintenance <i>(Invited Participants Only)</i>	7:00 AM - 5:00 PM	Pacific K Pacific Level
ICP: Exam Maintenance <i>(Invited Participants Only)</i>	7:00 AM - 5:00 PM	Pacific LM Pacific Level
ICP: Lunch <i>(Invited Participants Only)</i>	7:00 AM - 5:00 PM	Pacific LM Pacific Level