



PROGRAM SCHEDULE

Monday, May 4 - Friday, May 8, 2026

Hyatt Regency Salt Lake City | Salt Lake City, Utah

Current as of Tuesday, March 3 | Subject to Change | Final program will be available in the API Events App

All times are in Mountain Time (MT)

Sunday, May 3, 2026

Start – End Time	Meeting or Function	Meeting Room
8:00 AM - 5:00 PM	SOME - API 614, Lubrication, Shaft-Sealing, and Control-Oil Systems and Auxiliaries for Petroleum, Chemical and Gas Industry Services	
8:00 AM - 5:00 PM	SOME - API 686, Machinery Installation Part 1, Part 2 and Part 3	
8:00 AM - 5:00 PM	SOME - API 673, Centrifugal Fans for Petroleum, Chemical and Gas Industry Services	
1:00 PM - 3:30 PM	SCIMI - Subcommittee on Inspection and Mechanical Integrity Executive/Leadership Meeting	
1:00 PM - 5:00 PM	Registration	
1:00 PM - 5:00 PM	Sponsor & Exhibitor Displays (Vendor Setup)	
2:00 PM - 3:30 PM	SCOPV Steering Committee	
3:30 PM - 5:00 PM	SCOPV Common Clauses Committee	
3:30 PM - 5:00 PM	Working Group on Sub-Committee Coordination Meeting (Leadership Teams & API Reps)	
5:00 PM - 6:30 PM	CRE Chairs' Workshop (Members and Invited Guests Only)	

Monday, May 4, 2026

Start – End Time	Meeting or Function	Meeting Room
6:30 AM – 5:00 PM	Registration	
7:00 AM - 8:30 AM	Breakfast & General Session - Energy Citizens - Rebecca Schieber Brown	
7:00 AM - 5:00 PM	Sponsor & Exhibitor Displays	
8:00 AM - 9:00 AM	Morning Coffee Service	
8:30 AM - 10:00 AM	SCIMI - API 510 & RP 572, Pressure Vessel Inspection Code and Inspection Practices for Pressure Vessels	
8:30 AM – 9:30 AM	SCOPV - Manufacturers and Contractors	
8:30 AM – 9:30 AM	SCOPV - Owners and Operators (Owners/Operators Only)	
8:30 AM - 9:30 AM	Orientation for New Committee Members and New Attendees	
8:30 AM - 9:30 AM	SCCM Corrosion and Materials Research	
8:30 AM - 4:00 PM	SCHTE - Std 560, Fired Heaters	
8:30 AM - 5:00 PM	SCPRS - API 520, Sizing, Selection, and Installation of Pressure Relieving Devices - Part I and II	
8:30AM – 5.00PM	SOICS General Meeting	
8:30 AM - 5:00 PM	SOEE - RP 500, Classification of Locations for Electrical Installations at Petroleum Facilities Classified as Class 1, Division 1 and Division 2	
8:30 AM - 5:00 PM	SOEE - Std 541, Form-wound Squirrel Cage Induction Motors - 375kW (500 Horsepower) and Larger & Std. 547, General-purpose Form- wound Squirrel Cage Induction Motors - 185kW (250hp) through 2240kW (3000hp)	
8:30 AM - 5:30 PM	SCRM - Subcommittee on Refractory Materials, General Session	
8:30 AM - 6:00 PM	SCHTE - Std 661, Air Cooled Exchangers	
8:45 AM - 10:00 AM	Subcommittee on Mechanical Equipment (SOME) Joint Session (API Updates)	
9:00 AM - 10:00 AM	SCAST - RP 2026, Safe Access/Egress Involving Floating Roofs of Storage Tanks in Petroleum Service	
9:00 AM - 3:00 PM	SCAST - Refrigerated Tank Task Group (RTTG)	
9:30 AM -11:00 AM	SCCM - TR 934-F, 2.25 & 3.0 CrMoV Reactor MPT's	
10:00 AM - 10:30 AM	Mid-Morning Coffee Service	
10:00 AM - 11:00 AM	SCOPV - Std. 600, Steel Gate Valves - Flanged and Butt-welding Ends, Bolted Bonnets	
10:00 AM - 11:00 AM	SCIMI - Proposed TR on Statistical Analysis	
10:30 AM - 11:30 AM	SCAST - RP 2207, Preparing Tank Bottoms for Hot Work	
11:00 AM - 12:00PM	SCIMI - API RP 588	
11:00 AM - 12:00 PM	SCOPV - Std 609, Butterfly Valves: Double-flanged, Lug- and Wafer- type, and Butt-welding Ends	
11:00 AM - 12:00 PM	SCCM - TR 962 HIC/SOHIC Materials Properties Project	
12:00 PM - 1:00 PM	SCAST - Leadership Session (Invited guests only)	
10:00 AM - 11:00 PM	Subcommittee on Mechanical Equipment (SOME) Joint Session (API 682)	
11:00 AM - 12:00 AM	Subcommittee on Mechanical Equipment (SOME) Joint Session (API 685)	

1:00 PM - 3:00 PM	SCAST - Std 650, Wind Loading Subgroup	
1:00 PM - 3:00 PM	SCCM - RP 941, High Temperature Hydrogen Attack	
1:00 PM - 5:00 PM	SCIMI - NDE Task Group (and Roundtable)	
1:00 PM - 5:00 PM	Subcommittee on Mechanical Equipment (SOME) Joint Session (API 686)	
1:30 PM - 2:30 PM	SCOPV - Std 602, Gate, Globe, and Check Valves for Sizes DN 100 (NPS 4) and Smaller for the Petroleum and Natural Gas Industries	
2:00 PM - 2:30 PM	Afternoon Coffee Service	
2:30 PM - 3:00 PM	Special Afternoon Networking Break	
2:30 PM - 3:30 PM	SCOPV - Std. 621, Reconditioning of Metallic Gate, Globe, and Check Valves	
3:00 PM - 4:00 PM	SCAST - TR 655, Volatile Corrosion Inhibitors for Storage Tanks	
3:00 PM - 4:30 PM	SCAST - RP 626, New Standard on Refrigerated Tank Inspection and Repair	
3:30 PM - 4:30 PM	SCOPV - Std 622, Type Testing of Process Valve Packing for Fugitive Emissions	
3:00PM - 5:00 PM	SCCM - RP 582 Welding Guidelines for the Chemical, Oil, & Gas Industries	
4:00 PM - 5:30 PM	SCHTE - Fired Consensus Group	
4:30 PM - 5:30 PM	SCOPV - Std. 594, Check Valves: Flanged, Lug, Wafer, and Butt-welding	
4:30 PM - 5:30 PM	SCOPV - Std. 607, Fire Test for Quarter-turn Valves and Valves Equipped with Nonmetallic Seats	
4:30 PM - 6:00 PM	SCAST Manufacturers and Contractors (Manufacturers and Contractors Only)	
4:30 PM - 6:00 PM	SCAST Owners and Operators (Owners/Operators Only)	

Tuesday, May 5, 2026

Start – End Time	Meeting or Function	Meeting Room
7:00 AM - 8:30 AM	Early Morning Coffee Service	
7:00 AM – 4:00 PM	Registration	
7:00 AM - 5:00 PM	Sponsor & Exhibitor Displays	
7:30 AM - 9:00 AM	SCCM Officers (Task Group Chairs and Vice-Chairs Only)	
8:00 AM - 9:00 AM	SCIMI - API 587, Guidance for the Development of Ultrasonic Examiner Qualification Programs	
7:30 AM - 8:30 AM	SCHTE - Steering Committee (Steering Committee Members Only)	
8:00 AM - 9:00 AM	SCCM - RP 938D, Use of Duplex SS in the Oil Industry	
8:00 AM - 10:00 AM	Subcommittee on Mechanical Equipment (SOME) Joint Session (API 688)	
08:00AM – 5.00PM	SOICS - RP 559 IIOT	
8:00 AM - 5:00 PM	SCOPV - Joint Meeting	

8:00 AM - 5:00 PM	SCPRS - API 521, Pressure Relieving and Depressuring Systems	
8:00 AM - 5:30 PM	SCAST - Subgroup Fabrication	
8:00 AM - 5:30 PM	SCAST - Subgroup Design	
8:00 AM - 3:00 PM	SOEE - RP 500, Classification of Locations for Electrical Installations at Petroleum Facilities Classified as Class 1, Division 1 and Division 2	
8:00 AM - 3:00 PM	SOEE - Std 541, Form-wound Squirrel Cage Induction Motors - 375kW (500 Horsepower) and Larger & Std. 547, General-purpose Form-wound Squirrel Cage Induction Motors - 185kW (250hp) through 2240kW (3000hp)	
8:30 AM - 3:00 PM	SCRM - Subcommittee on Refractory Materials, General Session	
8:30 AM - 6:00 PM	SCHTE - Std 660, Shell & Tube Exchangers	
9:00 AM - 10:00 AM	SCIMI - API 578, Material Verification Program for New and Existing Assets	
9:00 AM - 11:00 AM	SCCM - RP 571, Damage Mechanisms Affecting Fixed Equipment in the Refining Industry	
9:00 AM - 11:30 AM	SCHTE - Std 535, Burners	
10:00 AM - 10:30 AM	Mid-Morning Coffee Service	
10:00 AM - 11:00 AM	SCIMI - API 575, Inspection Practices for Atmospheric and Low-pressure Storage Tanks	
10:00 AM - 12:00 PM	Subcommittee on Mechanical Equipment (SOME) Joint Session (API 674)	
10:00 AM - 12:00 PM	SCIMI - API 576, Inspection of Pressure-relieving devices	
11:00 AM - 12:00 PM	SCCM - TR 934-G & J Coke Drum Design & Fabrication	
11:00 AM - 12:00 PM	SCIMI - API 584, Integrity Operating Windows	
1:00 PM - 2:30 PM	SCCM - RP 939-C Guidelines for Avoiding Sulfidation Corrosion	
1:00 PM - 3:00 PM	Subcommittee on Mechanical Equipment (SOME) Joint Session (API 618)	
1:00 PM - 5:00 PM	SCIMI - API 581, Risk-Based Inspection Methodology	
1:00 PM - 5:00 PM	SCIMI - API 586, NDT Methods for Equipment Damage Mechanisms	
1:00 PM - 4:00 PM	SCHTE - Std 530, Heater Tube Thickness	
1:00 PM - 5:00 PM	Operating Practices Advisory Group (OPAG)	
2:00 PM - 2:30 PM	Afternoon Coffee Service	
2:30 PM - 3:00 PM	Special Afternoon Networking Break	
2:30 PM - 5:30 PM	SCCM - Roundtable - Crude Feed Contaminants	
3:00 PM - 4:30 PM	Subcommittee on Mechanical Equipment (SOME) Joint Session (RP 698)	
3:00 PM - 5:00 PM	SCRM - ICP Working Group	
3:00 PM - 5:00 PM	CRE Global Standards Meeting (Committee Members and Invited Guests Only)	
3:15 PM - 5:00 PM	SOEE - Subcommittee on Electrical Equipment	
4:00 PM - 6:00 PM	SCHTE/SOEE - Electric Radiant Tubular Heaters – Roundtable Discussion	

4:30 PM - 6:00 PM	SOME Steering Committee (Invited guests only)	
5:00 PM - 6:00 PM	Inspection and Mechanical Integrity Summit Volunteer meeting	
6:00 PM – 7:00 PM	Welcome Reception	

Wednesday, May 6, 2026

Start – End Time	Meeting or Function	Meeting Room
7:00 AM - 8:30 AM	Early Morning Coffee Service	
7:00 AM – 3:00 PM	Registration	
7:00 AM - 3:00 PM	Sponsor & Exhibitor Displays	
7:30 AM - 9:00 AM	SCHTE - Unfired Consensus Group	
8:00 AM - 9:30 AM	SCAST - Tank Floating Roof Reliability Task Group	
8:00 AM - 10:00 PM	Subcommittee on Mechanical Equipment (SOME) Joint Session (API 673)	
8:00 AM - 10:00 AM	SCIMI - API 577, Welding Processes, Inspection, and Metallurgy	
8:00 AM - 10:00 AM	PSG/SCIMI - API 751 TAG (Technical Advisory Group for Section 6/Annexes G & H)	
8:00 AM - 10:00 AM	SCPRS - API 526/527, Flanged Steel Relief Valves and PRV Seat Tightness	
8:00AM – 11:30AM	SOICS - RP 554 Part 1: Process Control Systems- Control Systems Functions and Function Specification Development	
8:00 AM - 12:00 PM	SCHTE - Std 536, Post-Combustion Nox Control for Fired Equipment	
8:00 AM - 12:00 PM	SCAST - Tank Stairs Task Group	
8:00 AM - 5:00 PM	SCHTE - Std 537, Flares	
8:30 AM - 5:00 PM	Operating Practices Symposium (OPS)	
9:00 AM - 10:00 AM	SCCM - RP 932-B Guidelines for Corrosion Control in Hydroprocessing REACs	
9:00 AM - 10:00 AM	SCAST - Spec 12P, Specification for Fiberglass Reinforced Plastic Tanks	
9:00 AM - 12:00 PM	SCOPV - Owner/Operator Roundtable (Owners/Operators Only)	
9:00 AM - 1:00 PM	SCRM - Anchor Standard Working Session	
9:00 AM - 4:00 PM	SCHTE - Std 701, Electric Immersion Heaters SOEE	
9:00 AM - 4:00 PM	SCHTE - Std 701, Electric Immersion Heaters SCHTE	
10:00 AM - 10:30 AM	Mid-Morning Coffee Service	
10:00 AM - 11:30 AM	ICP General Session	
10:00 AM - 12:00 PM	SCPRS - API 2000, Venting Atmospheric and Low-pressure Storage Tanks	
10:00 AM - 12:00 PM	SCCM - TR 963 Task Group on Biofuels Materials and Corrosion	
10:00 AM - 12:00 PM	SCCM - TR 942C SMR and Pyrolysis Furnace Tube Metallurgy	
10:30 AM - 11:30 AM	SCAST - Spec 12B, Specification for Bolted Tanks for Storage of Production Liquids & Spec 12D, Specification for Field Welded Tanks for Storage of Production Liquids	
12:30 PM – 5:00 PM	SOICS - RP 559 IIOT	
1:00 PM - 2:30PM	SCCM - RP 970 Corrosion Control Documents	

1:00 PM - 2:00 PM	SCCM - RP 934-A, 2.25 & 3.0 CrMo Materials and Fabrication, TR 934-B/D, RP 934-C/E 1.25 CrMo Materials&Fabrication	
1:00 PM - 2:30 PM	SCPRS - API TR 522, Pressure Relief System Calculations	
1:00 PM - 3:00 PM	Project Coordination Meeting - Review of Subcommittees Funding Requests (CRE Members and Invited Guests Only)	
1:00 PM - 5:00 PM	SCAST - Joint Session	
1:00 PM - 5:00 PM	SCHTE - 534, Heat Recovery Steam Generators, Annex for H2 Firing	
1:00 PM - 5:00 PM	SCIMI - Subcommittee on Inspection and Mechanical Integrity, Joint Close-Out Meeting	
2:00 PM - 3:00 PM	Afternoon Coffee Service	
2:30 PM - 3:30 PM	SCCM - 972 Thermal Spray	
2:30 PM - 5:00 PM	SCPRS - Subcommittee on Pressure-Relieving Systems, Joint Session	
3:00 PM - 5:00 PM	Executive Session - Committee on Refinery Equipment (CRE Members and Invited Guests Only) VIP GROUP	
3:30 PM - 5:00 PM	SCCM - Joint and Business Meeting	
4:00 PM - 6:00 PM	SCHTE - Std 701, Electric Immersion Heaters JOINT MEETING	
5:00 PM - 6:30 PM (will start immediately after OPS - time tentative)	Operating Practices Symposium (OPS) - Reception (Operating Practices Symposium Participants Only)	

Thursday, May 7, 2026

Start – End Time	Meeting or Function	Meeting Room
7:00 AM – 10:00 AM	Registration (held in API Office)	
8:00 AM - 11:00 AM	SCPRS - Subcommittee on Pressure-Relieving Systems, Round Table Discussion	
8:00 AM - NOON	Subcommittees Reports Out - Committee on Refinery Equipment (Members and Invited Guests Only) VIP GROUP	
8:00 AM – 5:00 PM	SOICS/SCHTE - RP 556, Instrumentation, Control, and Protective Systems for Gas Fired Heaters	
8:00 AM - 5:00 PM	ICP - Meals Only if the exam maintenace room isn't large enough	
8:00 AM - 5:30 PM	SCHTE - Std 664, Spiral Plate Heat Exchangers	

Friday, May 8, 2026

Start – End Time	Meeting or Function	Meeting Room
------------------	---------------------	--------------